



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 8 N

R 3 W



Township No. VIII North, Range III West 2nd M.

Surveyed by Wm Harris 1816

Description of the Soil on the interior Sectional lines.

Section	Quality, &c.	Section	Quality, &c.	Section	Quality, &c.
35, 36	Land hilly, Oak, Ash, Beech, Poplar, middling farming land	2, 3	Timber Beech, Ash, Sugar, middling farming land	8, 9	Land hilly, Timber Same, middling good farming land
25, 36	ditto	33, 34	ditto	4, 5	ditto
25, 26	ditto	27, 34	Land hilly, Beech, Sugar, Oak, Poplar, good soil	31, 32	ditto
24, 25	Hilly, Stony, Poor	27, 28	ditto	29, 30	ditto
23, 24	Land Same, Oak, Beech, Ash	22, 29	Hilly, Sugar, Hickory, Oak, middling farming land	20, 30	ditto
13, 24	ditto	21, 22	Land Same, South half Beech, Poplar	20, 29	ditto
13, 14	Oak, Gum, Beech, land hilly & Stony, middling Poor	15, 22	Beech, Oak, Poplar, middling good farming land	19, 20	Land & Timber Same good soil
12, 13	Middling, farming land - Oak, Beech, Ash	15, 16	Land Same, Beech, Ash, Poplar	17, 20	ditto
11, 12	ditto	10, 15	ditto	17, 18	Land Beech & Hilly, Beech, Sugar, Poplar, Oak
1, 12	Oak, Ash, Elm, Beech, Sugar, Spruce, good farming land	9, 10	Land rather hilly, Oak, Gum, Poplar, Beech, Sugar, good	8, 17	ditto
1, 2	Land hilly, Stony, Poor, Oak & Hickory, generally	3, 10	Middling farming land, Oak, Oak, Poplar, Beech	7, 8	ditto
30, 35	Low hills, Beech, Poplar, Sugar, Oak, good soil, middling farming land	3, 4	Land rather hilly, Oak, Gum, Poplar, Beech, Sugar, good farming	5, 8	Timber Same, middling good farming land
20, 35	ditto	28, 33	Land hilly, Beech, Sugar, Poplar, Oak, middling good farming land	5, 6	Land broken & hilly
20, 27	Land hilly middling, good for farming, Sugar, Hickory, Oak	28, 29	ditto	6, 7	ditto
23, 26	ditto	21, 28	Good farming land, Hilly, Timber Same	7, 18	ditto
22, 23	Land Same - Beech, Sugar, Gum	20, 21	Land broken & hilly - Timber Same, farming land	18, 19	ditto
14, 23	ditto	16, 21	Land hilly, Beech, Sugar, Poplar, Oak, good soil, middling good	30, 31	3rd rate
1, 15	Land Same - Beech, Ash, Gum, Poplar	16, 17	ditto		East 1/2 mile good soil, West Poor & Hilly
10, 11	Land Same - Beech, Ash, Sugar	9, 16	Land hilly & broken - Timber Same		
2, 11	Timber Same - good farming land				

379
Township No 8 North of Range No 3 West 2nd Mer. Indiana
Ch. Lk.

South Boundary.

April 9. 1811 From the cor of T. 718 N. R. 22 E. 3 N.
West On the South Boundary of sec. 36. T. 8 N. R. 3 W.
25.00 To a Birch corner N.E.
40.00 Set a 7/8 cup post from white,
Sugar 18 in dia. beam. S 74 E. 25 lmb. east; Ba
Buck 18 " " " S 70 W. 14 " " "
80.00 Set apart for the cor of sec. 35 & 36 from white,
Sugar 14 in dia. beam. N 13 W. 20 lmb. east; Ba
Buck 24 " " " S 10 E. 27 " " "
Grass Oak, Sand.

West On the South Boundary of sec. 35. T. 8 N. R. 3 W.
10.00 To a Birch 10 lmb. mid. corner S.W.
25.00 " " No. 3 " " " S
40.00 Set a 7/8 cup post. from white,
Buck 15 in dia. beam. N 20 E. 20 lmb. east; Ba
H. 10 " " " S 16 W. 20 " " "
45.00 To a Birch 10 lmb. mid. corner S.
80.00 Set apart for the cor of sec. 34 & 35 from white,
Sugar. 16 in dia. beam. S 6 W. 32 lmb. east; Ba
Poplar 14 " " " N 53 W. 29 " " "
Sand. Hilly Brit. Timber Buck, Sugar & Oak.

West On the South Boundary of sec. 34. T. 8 N. R. 3 W.
26.00 To a Birch 5 lmb. mid. corner S.
32.50 " " No. 10 " " " S
40.00 Set a 7/8 cup post from white,
Buck 10 in dia. beam. S 28 W. 7 lmb. east; Ba
Buck 12 " " " N 16 W. 13 " " "
60.00 To a Birch 5 lmb. mid. corner S.
80.00 Set apart for the cor of sec. 33 & 34 from white,
Sugar 10 in dia. beam. S 44 W. 7 lmb. east; Ba

T. N. 8. N. R. N. 3. N. 2nd. Tm. Ind.

North On the East B. of J. of cu. 13. 28. N. R. 3. N.
 35.00 Look Brook 14 in dist. with mi.
 40.00 Set apart report from white
 Brook 15 in dist. here. S 57 N 40 mts dist. of cu
 Do. 14 " " " S 60 E 32 " "
 47.00 Look Brook 50 mts dist. here. N. W. N.
 80.00 Set apart for the crop of 12. 13 from white
 Brook 18 in dist. here. S 58 E. 22 mts dist. of cu
 Sugar. 18 " " " N 46 N 19 " "
 Grounds. Hilly. and rich. Timber. Some. as last mile.

North On the East B. of J. of cu. 12. 28. N. R. 3. N.
 40.00 Set apart report from white
 Brook 14 in dist. here. N 61 N 14 mts dist. of cu
 Do. 7 " " " S 47 E 16 " "
 63.50 Look Brook 7 in dist. with mi.
 69.00 " Brook 15 mts dist. here. S. W. N.
 80.00 Set apart for the crop of 18. 12 from white
 Sugar. 14 in dist. here. S 68 N 20 mts dist. of cu
 Brook 15 " " " N 86 E. 18 " "
 Grounds 2nd rate. Timber. Brook. Sugar. & c.

North On the East B. of J. of cu. 1. 28. N. R. 3. N.
 9.00 Look Brook. with mi.
 40.00 Set apart report from white
 Poplar. 20 in dist. here. S 82 E. 23 mts dist. of cu
 Brook 6 " " " S 82 N 27 " "
 48.00 Tell 10 ch. East of the timber Post cu of S. 88. 9
 N. R. 2. 13. N. and set apart from white
 Sugar. 13 in dist. here. S 77 E. 9 mts dist. of cu
 Do. 13 " " " S 46 N 17 " "
 Grounds of timber same as last mile.

T. N. 8. N. R. N. 3. N. 2nd. Tm. Ind.

North Bound.

April 11. 1811 From the crop of S. 8. 1. N. R. 2. 13. N.
 West On the South B. of J. of cu. 36. 29. N. R. 3. N.
 19.50 Look Brook 5 mts dist. here. S. W. N.
 40.00 Set apart report from white
 Brook. 13 in dist. here. S 74 E. 44 mts dist. of cu
 Do. 16 " " " N 47 N 43 " "
 80.00 Set apart for the crop of 35. 8. 36 from white
 Hick. 15 in dist. here. N 46 E. 27 mts dist. of cu
 Log. 4 " " " S 70 N 25 " "
 Hilly Brook. land.

West On the South B. of J. of cu. 35. 29. N. R. 3. N.
 40.00 Set apart report from white
 Brook. 16 in dist. here. N 10 N 2 mts dist. of cu
 Sugar. 5 " " " S 36 N 37 " "
 80.00 Set apart for the crop of 34. 8. 35 from white
 Brook 13 in dist. here. N 70 N 38 mts dist. of cu
 Do. 12 " " " S 13 E. 26 " "
 Grounds. Hilly & Poor. Timber. Oak & c.

West On the South B. of J. of cu. 34. 29. N. R. 3. N.
 40.00 Set apart report from white
 Sugar. 5 in dist. here. N 57 E. 3 mts dist. of cu
 Brook 12 " " " S 50 N 51 " "
 68.00 Set apart for the crop of 33. 13. 4 from white
 Sugar. 8 in dist. here. East 16 mts dist. of cu
 Poplar. 6 " " " S 36 N 28 " "
 70.50 Look Brook 5 mts dist. here. S. W. N.
 Grounds. Hilly and rich. Timber. Poplar. Sugar. & c.

West On the South B. of J. of cu. 33. 29. N. R. 3. N.
 17.00 Look Brook 8 mts dist. here. S. W. N.

T. N. 8. N. R. N. 3 W 2nd Mer. Ind.

4400 Let a 70 supert from which
 Buck 14 in dist. from. N46E 19 miles east; 80
 Ho 14 " " " N60W 29 " "
 80,00 Let a post for the en. of sec. 32, 833 from which
 Sugar 9 in dist. from. N82E 26 miles east; 80
 Ho 12 " " " S83W 33 " "
 Sand. Hilly. Timber. Buck. 80.

West On the South Boundary of sec. 32. T. 8. N. R. 3 W.
 38.50 To a Brook 10 miles into Course S.W.
 40,00 Let a 70 supert from which
 Sugar 12 in dist. from. S43E 4 miles east; 80
 Ho 12 " " " N53W 42 " "
 64.50 To a Brook 10 miles into, Course S.E.
 80,00 Let a post for the en. of sec. 31. 832 from which
 Oak 36 in dist. from. S39W 27 miles east; 80
 Buck 18 " " " N20W 26 " "
 Sand. madding. Timber. Buck. Sugar. 80.

West On the South Boundary of sec. 31. T. 8. N. R. 3 W.
 35.00 To a Brook 12 miles into, Course S.W.
 40,00 Let a 70 supert from which
 Buck 9 in dist. from. N10E 11 miles east; 80
 Ho 18 " " " S46E 26 " "
 80,00 Let a 70 supert for the en. of sec. 16. 318 36.
 To 849. N. R. 3 W 4 W

West Boundary.

April 12. 18. 11. From the en. of Sec. 718 N.
 R. 3 W 4 W. Range

North On the East Boundary of sec. 36. T. 8. N. R. 3 W
 40,00 Let a 70 supert from which
 Buck. 8 in dist. from. S62E 3 miles east; 80

T. N. 8. N. R. N. 3 W 2nd Mer. Ind.

Elm. 5 in dist. from. N69W 32 miles east;
 62.50 To a Oak. 24 in dist. in the line.
 74.50 " " Brook. 75 miles into, Course S.W.
 80,00 Let a post for the en. of sec. 35. 836 from which
 Sugar 7 in dist. from. N23E 23 miles east; 80
 Buck. 6 " " " S77W 28 " "
 Sand. Buck. land.

North On the East Boundary of sec. 25. T. 8. N. R. 4 W.
 36.00 To a Oak. 17 in dist. in the line.
 40,00 Let a 70 supert from which
 Sugar 14 in dist. from. N35W 28 miles east; 80
 Buck 10 " " " S56E 15 " "
 80,00 Let a post for the en. of sec. 24. 835 from which
 Buck 12 in dist. from. N19E 22 miles east; 80
 Ho 10 " " " N76W 21 " "
 Poor. Hilly. Oak. land.

North On the East Boundary of sec. 24. T. 8. N. R. 3 W.
 33.00 To a Brook 12 miles into, Course N.E.
 40,00 Let a 70 supert from which
 Sugar 11 in dist. from. N48W 32 miles east; 80
 Oak. 16 " " " N74E 43 " "
 87.00 To a Poplar. 25 in dist. in the line.
 69.50 " " Brook 10 miles into, Course S.E.
 80,00 Let a post for the en. of sec. 13. 824 from which
 Sugar 3 in dist. from. S20W 9 miles east; 80
 Ho 4 " " " N89E 9 " "
 Poor. Hilly. Oak. land.

North On the East Boundary of sec. 13. T. 8. N. R. 4 W.
 32.50 To a Brook 10 miles into, Course S.E.
 37.50 " " Elm. 16 in dist. in the line.

T. N. 8. N. R. N. 377 2nd Tm. Ind.

Sept. 40 in dist. line. 857 M 10 mts dist. to
 Buck 14 " " " 877 M 8 " "
 80.00 Set a post for the cor of sec. 23, 24, 25 & 26 from which
 N. Buck. 4 in dist. line. 885 E. 8 mts dist; 80
 Elm. 3 " " " 828 M 20 " "
 Lands Hilly and muddling good for farming
 Timber Oak, Buck, & Poplar.

East In a Random line between Sec 24 & 25 T. 8. N. R. 377
 40.00 Set a temp. post to support.
 80.15 Intersect the East B. 1/2 27 mts North of the post cor
 of sec. 24 & 25.
 Lands Hilly & very poor.

West On the Line line between Sec 24 & 25 T. 8. N. R. 377
 40.00 Set the temp. post to support at the cor dist on the line line
 from which, Hick 8 in dist. line. 880 E. 7 mts dist; 80
 Buck. 6 " " " 84 M. 6 " "
 80.15 To the post cor of sec. 23, 24 & 25 & 26.

North Return Sec 23 & 24 T. 8. N. R. 377.
 40.00 Set a post from which
 Maple 16 in dist. line. — 71 E. 9 mts dist; 80
 Gum 20 " " " 858 M 24 " "
 80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from which
 Buck 4 in dist. line. 870 E. 13 mts dist; 80
 Oak 18 " " " 810 E. 9 " "
 Lands the same. as last mile.

East Cap Random line between Sec 13 & 24 T. 8. N. R. 377
 40.00 Set a temp. post to support.
 79.74 Intersect the East B. 1/2 100 mts South of
 the post cor of sec. 13 & 24.

T. N. 8. N. R. N. 377 2nd Tm. Ind.

Lands the same as last mile. Sept. 1st 1816.

West On the Line line between Sec 13 & 24 T. 8. N. R. 377.
 39.87 Set the temp. post to support at the cor dist on the line line
 from which, Buck 20 in dist. line. 839 M. 25 mts dist;
 and a Hick 12 " " " 863 E. 5 " "
 79.74 To the post cor of sec. 13, 14, 23 & 24.

North Return Sec 13 & 14 T. 8. N. R. 377.
 30.00 To the cor 50 mts dist, Corner N.
 40.00 Set a post from which
 Buck 36 in dist. line. East 3 mts dist; 80
 H. 10 " " " 842 M 8 " "
 80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which
 Gum 20 in dist. line. — 85 M. 8 mts dist; 80
 Buck 16 " " " 859 M 10 " "
 Lands muddling poor & barren. Timber Oak,
 Gum & Buck.

East On a Random line between Sec 12 & 13 T. 8. N. R. 377
 40.00 Set a temp. post to support.
 65.00 To the Brook Corner N.
 79.77 Intersect the East B. 1/2 40 mts North of
 the post cor of sec. 12 & 13.
 Lands muddling for farming, Timber Oak,
 Buck & Ash.

West On the Line line between Sec 12 & 13 T. 8. N. R. 377.
 38.88 Set the temp. post to support at the cor dist on the line line
 from which, Buck 17 in dist. line. 849 M. 5 mts dist;
 and a Log wood 4 " " " 861 E. 10 " "
 79.77 To the post cor of sec. 11, 12, 13 & 14.

North On the line between Sec. 26 & 27 T. 8. N. R. 37.
40.34 Set the temp. 7/4 support at the ar. dist on the line
from which, Buck 18 in air hour. S 53 N. 5 the dist
under Poplar. 4 4 4 4 N 14 E 15 ;
80.68 To the post cor. of sec. 22, 23, 26 & 27.

East On a Random line between Sec. 33 & 36 T. 8. N. R. 37.
40.00 Set a temp. 7/4 support.
79.88 Intersect the NTS line 100 links North of the post cor.
of sec. 23, 24, 25 & 26.
Lands Hilly and muddy good for farming.
Timber same.

West On the line between Sec. 23 & 26 T. 8. N. R. 37.
39.94 Set the temp. 7/4 support at the ar. dist on the line
from which, Harder Buck 15 in air hour. N 45 W 22
the dist. 30 W. 4 4 4 4 N 12 E 23 the dist.
79.88 To the post cor. of sec. 22, 23, 26 & 27.

North Return Sec. 22 & 23 T. 8. N. R. 37.
39.00 To a place loc. 27.
40.00 Set a post from which
Buck 24 in air hour. S 77 N. 7 the dist. 40
Co. 10 4 4 4 23 E 15 ;
45.00 To the same loc. 27. Come N. E.
65.00 4 4 4 4 27.
80.00 Set a post for the cor. of sec. 14, 15, 22 & 23 from which
Buck 4 in air hour. S 44 E 8 the dist. 20
Co. 3 4 4 4 N 8 E 10 4 3
Lands Hilly and muddy for farming.
Timber Buck Sugar Gum.

East On a Random line between Sec. 14 & 23 T. 8. N. R. 37.

40.00 Set a temp. 7/4 support.
70.00 To a place 70 links N. E. corner of.
80.15 Intersect the NTS line 50 links South of the post
cor. of sec. 13, 14, 23 & 24. Lands the same.

West On the line between Sec. 24 & 23 T. 8. N. R. 37.
40.07 Set the temp. 7/4 support at the ar. dist on the line
from which, Buck 18 in air hour. North 116 dist
under Co. 6 4 4 4 S 67 E 10 ;
80.15 To the post cor. of sec. 14, 15, 22 & 23.

South On a Random line between Sec. 14 & 15 T. 8. N. R. 37.
40.00 Set a temp. 7/4 support.
79.90 Intersect the NTS line 110 links East of the post cor. of
Sec. 14, 15, 22 & 23. Lands & timber the same.

North On the line between Sec. 14 & 15 T. 8. N. R. 37.
39.95 Set the temp. 7/4 support at the ar. dist on the line
from which, Sugar 16 in air hour. N 5 E 23 the dist.
under Buck 18 ; ; ; N 82 E 21 ; ;
79.90 To the post cor. of sec. 10, 11, 14 & 15.

East On a Random line between Sec. 11 & 14 T. 8. N. R. 37.
40.00 Set a temp. 7/4 support.
74.00 To a place 70 links N. E. corner of.
78.32 Intersect the NTS line 120 links North of the post.
cor. of Sec. 11, 12, 13 & 14. Lands the same as last mile.

West On the line between Sec. 11 & 14 T. 8. N. R. 37.
38.16 Set the temp. 7/4 support at the ar. dist on the line
from which, Buck 14 in air hour. S 56 E 22 the dist.
under Co. 18 4 4 4 N 13 N. 30 ; ;
78.32 To the post cor. of sec. 10, 11, 14 & 15.

I N^o 8. N. R. N^o 3 M D^{ad} Mm. Ind.

South
40.50
48.50

Quadrant line between Sur 10811. T.S. MR 3m
Set the temp. 7 m. apart
Intersect the E & W line 180 yards West of the post
Cor of sur. 2, 3 10811. Same the same.

North On the same line between Dec. 10 & 11. 78 NR 37
3925. At the temple of the last at the on the same line
from which Oak. 48 in diam. 64 ft. 11 in. at
under Beach. 16 4 4 4. 180 E 11, 1
7850 To the first on April 2, 3, 10 & 11

7700 Return Dec 28th 1881 37.
 40,00 Set a 7th report from which,
 Gym 16 in dist. house. N24 W. 15 lbs net; 8th
 Bunch 15 " " " S52 E. 13 " "
 80,00 Set a post for the cage. 2, 3, 10 8th from which,
 Bunch 18 in dist. house. S7 E. 9 lbs net; 9th
 Hg. 15 " " " N26 W 13 " "
 Squads good for farming; Timber Bunch, Ash
 Sugar.

North
 16.00
 40.00
 72.55

Rotman Dec. 283 I. S. N. R. 3 M.
 Log Brook 15 mts. wide, less NW.
 Set a new post from which
 Buck 14 in. dist. from. — 76 W. 8 mts. west; 8 W.
 Dog m. 4 " " " 85 E. 16 " "
 Set out the N. B. 39 mts. East of the post on p. 28
 34835 I. S. N. R. 3 M. and set a post for the
 of p. 283 from which
 Sugar. 15 in. dist. from. N. 23 W. 29 mts. west; 8 W.
 Buck. 64 " " " 34 E. 26 " "
 Sande Hill, and good for farming. Timber Oak and
 Buck, Poplar & Sugar.

1408. N.R.V. 3rd 2nd Mn. Ind.

Sept. 2nd 1815.

South 4000 feet a temp. 74 in post.
 49.20. Taken at the South R. 22 miles West of the post
 cor of sec. ~~2728~~ 33834
 Sande Hilby and meddling gorse in forming
 Timber Creek. Sugar, Poplar, Oak &c.

[illegible]

West Return Dec 27 1834. To S. M. R. 3 W.
 27.00 To Bank 10 mks mid, Leonora N W.
 40.00 To a p. report from white,
 Bank 10 in dead. bears. 1834 10 Ws. out; 1/2
 Sugar. 12 " " " 1834 12 " "
 50.00 To report for the cargo of 27.28 33 34 from white,
 Bank 8 in dead. bears. 184 11 Ws. out; 1/2
 Bank 5 " " " West 12 " "
 Sunds killing Lumber Sugar Bank, Oak, Apple.

Arch Return Dec 27, 828. 18 N R 3 M.
4000 Set a p. suspect from whitey
Weak 30 in air lens. 163 M 8 lbs out; 3 a
Do. 30 " " " 118 E 15 " "
8000 Set a p. for the cor of ew. 21, 22, 27 & 28 from whitey
Weak 10 in air lens. 126 E 8 lbs out; 3 a
Do. 18 " " " 137 M 22 " "
Grande the same

I. N. 8. N. R. N. 3M 2nd Mm. Ind.

South
40.00 On a Random line between Dec 10 81. I. S. N. R. 3M
Set the temp. 7 in cup at
78.50 Into cut the E. 1/2 N line 180 miles West of the post
Co of cut. 2, 3, 10 81. Same the same.

North
39.25 On the same line between Dec 10 81. I. S. N. R. 3M
Set the temp. 7 in cup at the air cut on the same line
from which, Oak. 48 in air. 164 N. 11 W. dist
under Bush. 16 4 4 4, N. 80 E. 11 1 1
78.50 To the post on of cut. 2, 3, 10 81

West
40.00 Return Dec 28 81 I. S. N. R. 3M.
Set a 7 in cup at from which,
Lynn 16 in air. 164 N. 15 W. dist; 8 2
Bush 15 4 4 4, S. 52 E. 13 1 1
80.00 Set a post for the Co of cut. 2, 3, 10 81 from which,
Bush 18 in air. 164 N. 9 W. dist; 8 2
No. 15 4 4 4, N. 26 W. 13 1 1
Sandy good for farming; Timber Bush, Oak
Sugar.

North
16.00 Return Dec 28 81 I. S. N. R. 3M.
Log Brook 15 miles mid, Lee. N. W.
40.00 Set a post from which,
Bush 14 in air. 164 N. 8 W. dist; 8 2
No. 4 4 4 4, S. 52 E. 16 1 1
72.55 Into cut the N. 1/2 39 miles East of the post Co of cut
34 8 35 I. S. N. R. 3M and set a post for the Co
of cut. 2 13 from which,
Sugar. 15 in air. 164 N. 29 W. dist; 8 2
Bush. 6 4 4 4, S. 34 E. 26 1 1
Sandy hilly and good for farming Timber Oak ash
Bush, Poplar & Sugar.

I. N. 8. N. R. N. 3M 2nd Mm. Ind.

Sept. 2nd 1815.

South
40.00 On a Random line between Dec 33 83 34 I. S. N. R. 3M
Set a temp. 7 in cup at
79.20 Into cut the South 137 22 miles West of the post
Co of cut. ~~27 28~~ 33 8 34
Sandy hilly and mediating good for farming
Timber Bush, Sugar, Poplar, Oak &c.

North
On the South line between Dec 33 83 34.
I. S. N. R. 3M
39.60 Set the temp. 7 in cup at the air cut on the same line
from which, Bush 24 in air. 164 N. 20 W. dist
under a No. 12 4 4 4, S. 60 E. 16 1 1
79.20 To the post on of cut. 27. 28 33 8 34

West
Return Dec 27 83 34 I. S. N. R. 3M.
39.00 Log Brook 10 miles mid, Lee. N. W.
40.00 Set a post from which,
Bush 10 in air. 164 N. 10 W. dist; 8 2
Sugar. 12 4 4 4, N. 37 W. 22 1 1
80.00 Set a post for the Co of cut. 27. 28 33 8 34 from which,
Bush 8 in air. 164 N. 11 W. dist; 8 2
Bush 5 4 4 4, West 12 4 4
Sandy hilly, Timber Sugar Bush, Oak, Poplar.

North
Return Dec 27. 83 34. I. S. N. R. 3M.
40.00 Set a post from which,
Oak 31 in air. 164 N. 8 W. dist; 8 2
No. 30 4 4 4, S. 18 E. 15 1 1
80.00 Set a post for the Co of cut. 21. 22, 27 8 28 from which,
Bush 10 in air. 164 N. 8 W. dist; 8 2
No. 18 4 4 4, N. 37 W. 22 4 4
Sandy the same

T. No. 8. N. R. No. 37 2nd Mer. Ind.

Sept. 2nd 1815.

East Return Dec. 22 & 27 T. 8. N. R. 37.
 21.50 Top of Brook. C. N.
 40.00 Set a 7th support from which
 Bush 8 in dist. from. N 46 E 60 lbs dist; 8
 Hogwood 4 " " N 53 N 16 " "
 80.00 Set apart for the cor of sec 22, 23, 26 & 27 from
 which, Poplar 4 in dist. from. N 53 E 60 lbs dist.
 Sugar 10 4 " " - 36 1/2 N 14 " "
 Sugar & Hill, under meadow for farming; Limb
 Sugar & Oak,

North Return Dec. 21 & 22 T. 8. N. R. 37.
 13.00 Top of Brook. 100 lbs dist; 8 N.
 40.00 Set a 7th support from which
 Bush 14 in dist. from. N 32 E 25 lbs dist; 8
 Bush 15 " " " N 85 N 35 " "
 80.00 Set apart for the cor of sec 15, 16, 21 & 22 from which
 Hackberry 9 in dist. from. N 67 E 19 lbs dist; 8
 Bush 14 " " " N 55 N 20 " "
 Land similar to last met; South 7th Bush, bottom

Sept. 3. 1815.

East On a Run down line between Dec. 15 & 22 T. 8. N. R. 37.
 40.00 Set a 7th support
 79.32 Set a 7th support from which 108 lbs dist. North of the Post cor
 of sec. 14, 15, 22 & 23.
 Land under meadow good farming land. Limb
 Bush, Ash, Poplar,

West On a Run down line between Dec. 15 & 22 T. 8. N. R. 37.
 39.66 Set the 7th support at the cor dist on the line from
 from which, Bush 4 in dist. from. N 33 E 34 lbs dist

T. No. 8. N. R. No. 37 2nd Mer. Ind.

Bush 10 in dist. from. N 37 N 18 lbs dist.
 79.32 To the post cor of sec. 15, 16, 21 & 22.

North Return Dec. 15 & 16 T. 8. N. R. 37.
 34.00 Top of Brook 20 lbs dist; 8 N.
 40.00 Set a 7th support from which
 Bush 3 in dist. from. N 47 N 19 lbs dist; 8
 Oak 6 " " " N 27 E 9 " "
 75.00 Top of Brook 10 lbs dist; 8 N.
 80.00 Set apart for the cor of sec 9, 10, 15 & 16 from which
 Bush 20 in dist. from. South 6 lbs dist; 8
 Oak 14 " " " N 50 E 16 " "
 Land similar to last met; South 7th Bush, bottom
 Oak, Gum Ash, Sugar, Poplar,

Sept. 4. 1815.

East Return Dec. 10 & 15 T. 8. N. R. 37.
 40.00 Set a 7th support from which
 Immort. 4 in dist. from. N 82 N 22 lbs dist; 8
 Bush 10 " " " N 37 E 10 " "
 80.00 Set apart for the cor of sec. 10, 11, 14 & 15 from which
 Bush 18 in dist. from. N 43 N 13 lbs dist; 8
 Oak 14 " " " N 68 E 23 " "
 Land the same.

Sept. 6. 1815.

North Return Dec. 9 & 10 T. 8. N. R. 37.
 40.00 Set a 7th support from which
 Bush 10 in dist. from. N 36 E 9 lbs dist; 8
 Hogwood 4 " " " N 8 N 24 " "
 80.00 Set apart for the cor of sec 34, 9 & 10 from which
 Hickory 10 in dist. from. East 11 lbs dist; 8
 Sugar 4 " " " N 8 N 8 " "

T. N. 8. N. R. N. 3M and Min. Ind.

Land good for farming Timber Ash, Lyrn,
Poplar, Beech, Sassafras. Land very

Sept. 8. 1815

East On the line between Sec. 3810 T. 8. N. R. 3M.
4000 Set a post in support.
78.35. Intersect the N. 8. 3 line 25 miles North of the post on
of sec. 2, 3, 10 & 11.

Land middling good for farming Timber
Ash, Oak, Poplar, Beech &c.

West On the line between Sec. 3810 T. 8. N. R. 3M.
39.77 Set the temporary post at the corner on the line
from which
Poplar. 4 in dist. here. S 13 E. 5 1/2 miles dist. to
Sassafras 4, , , - 65 W 16, ,
78.35. To the post on of sec. 3, 4, 7 & 10.

North Return Sec. 3814 T. 8. N. R. 3M.
4000 Set a post in support from which
Beech 13 in dist. here. S 12 E 17 1/2 miles dist. to
Co. 10, , , N 10 E 16, , ,
71.54 Intersect the N. 8. 3 line 138 miles East of the post
on of sec. 33 & 34 T. 9. N. R. 3M. and set a post
for the corner of sec. 3814 from which
Poplar. 4 in dist. here. N 68 E. 4 miles dist. to
Co. 6, , , N 84 W 19, , ,
Land the same as last mile.

South On a Random line between Sec. 32 & 33 T. 8. N. R. 3M.
35.50 To a small Brook. Sec. 3M.
4000 Set a temporary post in support.
45.50 To a Brook corner N.

T. N. 8. N. R. N. 3M and Min. Ind.

80.04 Intersect the South Boundary 4 miles West of the post
on of sec. 32 & 33. Land the same.

North On the line between Sec. 32 & 33 T. 8. N. R. 3M.
40.00 Set the temporary post at the corner on the line from
which, Hickory 15 in dist. here. S 1 E. 5 1/2 miles dist. to
Oak 20, , , S 57 W 20, , ,
80.04 To the post on of sec. 28, 29, 32 & 33.

West Return Sec. 28 & 33 T. 8. N. R. 3M.
40.00 Set a post in support from which
Oak 18 in dist. here. West 11 miles dist. to
Beech 24, , , S 68 E. 18, , ,
66.00 To a Brook 20 miles dist. Sec. 3M.
80.00 Set a post for the corner of sec. 28 & 29, 32 & 33 from which
Dogwood 4 in dist. here. S 10 E. 26 miles dist. to
Oak 40, , , N 32 W 35, , ,
Land the same.

South On a Random line between Sec. 28 & 29 T. 8. N. R. 3M.
40.00 Set a temporary post in support.
79.55. Intersect the E. & West line 29 miles East of the post.
on of sec. 28, 29, 32 & 33.
Land very good for farming Timber Beech
Sugar, Poplar, Ash, &c.

North On the line between Sec. 28 & 29 T. 8. N. R. 3M.
39.77 Set the temporary post in support at the corner on the line
from which
Dogwood 3 in dist. here. S 58 W. 2 miles dist. to
Hickory 8, , , S 21 E. 11, , ,
79.55. To the corner of sec. 20, 21, 28 & 29.

T. N. 8. N. R. N. 3 W 2nd Mer. Ind.

East Ogish Random line between Sur. 21828 T. 8 N. R. 3 W.
 4000 Let a temp. 7th support.
 62.00 To a Berok 15 miles mid. Co. N. Let any
 79.57 Let out the N. 8 W. 4 miles North of the post co.
 of sur. 212227 228.
 Lunde Kelly and Broken Lunde Lunde

West Ogish Line line between Sur. 21828 T. 8 N. R. 3 W.
 39.78 Let the temp. 7th support at the ar. dist on the line
 from which, Hick 10 in dist. hms. N. 79 E. 30 the dist.
 and a Hogmole " " " 886 7710 " "
 79.57 To the post co. of sur. 20.21.28829

South Ogish Random line between Sur. 20821 T. 8 N. R. 3 W.
 4000 Let a temp. 7th support.
 80.47 Let out the E. 7 W. line 22 miles West of the post
 co. of sur. 20.21.28829.
 Lunde the same.

North Ogish Line line between Sur. 20821 T. 8 N. R. 3 W.
 40.21 Let the temp. 7th support at the ar. dist on the line
 from which, Hick 15 in dist. hms. S. 76 E. 4 the dist.
 and a Bush 12 " " " S. 77 W. 12 " "
 80.42 To the post co. of sur. 16.17.20.221.

Sept. 5. 1815

East Ogish Random line between Sur. 16821 T. 8 N. R. 3 W.
 20.00 To a Berok 100th mid. Co. N.
 40.00 Let a temp. 7th support.
 67.00 To a Berok 15 miles mid. Co. S.
 80.08 Let out the N. 73 W. line 75 miles North of the post
 co. of sur. 15.16.21.222.
 Lunde Lunde.

T. N. 8. N. R. N. 3 W 2nd Mer. Ind. 401

West Ogish Line line between Sur. 16821 T. 8 N. R. 3 W.
 40.14 Let the temp. 7th support at the ar. dist on the line
 from which, Bush 14 in dist. hms. S. 77 W. 11 the dist.
 and a Co. 10 " " " 167 E. 9 " "
 80.08 To the post co. of sur. 16.17.20.221.

North Between Sur. 16817 T. 8 N. R. 3 W.
 26.50 To a Berok 100th mid. Co. N.
 40.00 Let a temp. 7th support from which,
 Bush 10 in dist. hms. S. 72 E. 7 the dist. Co. S.
 Co. 11 " " " S. 77 W. 27 " "
 80.00 Let a post for the co. of sur. 8.9.16.17 from which,
 Bush 10 in dist. hms. S. 77 W. 11 miles dist. Co. S.
 Co. 9 " " " 136 E. 34 " "
 Lunde the same.

Sept. 6. 1815.

East Ogish Random line between Sur. 1689 T. 8 N. R. 3 W.
 40.00 Let a temp. 7th support.
 80.72 Let out the N. 73 W. line 11 miles North of the post co. of
 Sur. 349716. Lunde the same.

West Ogish Line line between Sur. 9116 T. 8 N. R. 3 W.
 40.36 Let the temp. 7th support at the ar. dist on the line
 from which, N. Oak 14 in dist. hms. N. 54 W. 26 miles dist.
 and a Hogmole 3 " " " S. 77 W. 8 " "
 80.72 To the co. of sur. 8.9.16.17

North Between Sur. 889 T. 8 N. R. 3 W.
 26.50 To a Berok 10 miles mid. Co. N.
 37.00 To a Berok 10 " " " S. 77 W.
 40.00 Let a temp. 7th support from which,
 Sugar 10 in dist. hms. S. 40 W. 17 miles dist. Co. S.

T. N. 8. N. R. No 3 W. 2nd Mer. Ind.

1842 Set out the West Bound 17 links north of
the post on of row 25 & 26. From 8 N. R. 4 W. and
at a post for the cor of row 30 & 31. From which
Beck 8 in dia^r beam. S 34 W 19 links east; 8
do 10 " " " N 10 W 29 " "
East 1/2 mile mud yard Soil West 1/2 from & thence

North Return Jan 29 1840 T. 8. N. R. 3 W.

34.00 To a Brook 15 links mid, Le. W.

40.00 Set a new post from which
Oak 14 in dia^r beam. S 58 E 10 links east; 29
do 12 " " " N 63 W 17 " "

46.00 To a Brook 11 links mid, Le. W.

60.00 " " " " " " "

80.00 Set a post for the cor of row 1920 29 & 30 from which
a Beck 6 in dia^r beam. N 82 W 15 links east; 3
do 12 " " " S 49 E 32 " "
A small Dogwood stands further on.
Sands rolling and rather few timber down.

East On a Random line between Jan 20 & 29 T. 8. N. R. 3 W.

8.50 To a small Brook. Le. S.

35.50 " " do. " " " S W

40.00 Set a new post from which
Beck 9 in dia^r beam. S 1 E 5 links east; 29
do 15 " " " N 51 E 13 " "

71.00 To a Brook 10 links mid, Le. W.

80.00 Set a post for the cor of row 2021 28 & 29 from which
a Beck 9 in dia^r beam. S 13 E 13 links east; 3
do 4 " " " N 32 W 21 " "
Sands similar and muddling good for farm
ing timber down.

T. N. 8. N. R. No 3 W. 2nd Mer. Ind.

West Return Dec 19 1830 T. 8. N. R. 3 W.

25.00 To a Spring Branch. Corner S. W.

33.00 " " Small Brook. Corner S. W.

40.00 Set a new post from which
Beck 12 in dia^r beam. N 73 W 16 links east; 8
R. Oak. 18 " " " S 47 E 3 " "

40.50 To a Brook 100 links mid, Le. S.

79.89 Set out the West B. 92 links north of the post.
cor of row 24 & 25. T. 8. N. R. 4 W. and at a post
for the cor of row 17830 from which a
Beck 12 in dia^r beam. N 29 E 4 links east; 5
Beck 9 " " " S 32 W 21 " "
Sands 3rd rate hills.

North Return Dec 19 1820 T. 8. N. R. 3 W.

40.00 Set a new post from which
Beck 18 in dia^r beam. S 12 E 36 links east; 3
do 6 " " " N 24 W 24 " "

80.00 Set a post for the cor of row 171819 & 20 from which
Sugar 14 in dia^r beam. S 4 E 24 links east; 3
do 15 " " " N 36 W 2 " "
Sands Hilby and good soil; Muddling good land
farming; Timber Beck, Sugar, Poplar, & Oak.

East Return Dec 17 1820 T. 8. N. R. 3 W.

40.00 Set a new post from which

Beck 13 in dia^r beam. S 3 E 41 links east; 8

do 12 " " " N 11 E 16 " "

47.00 To a Brook 15 links mid, Corner S. W.

80.00 Set a post for the cor of row 161720 & 21 from which
Dogwood 8 in dia^r beam. S 67 E 19 links east; 3
Sugar 12 " " " N 65 W 32 " "
Sands same as last mile

T. N. 8. N. R. No 3 W. 2nd Mer. Ind.

West Return Dec 18 & 19 T. N. R. 3 W.
 20.50 To a Brook 100 links mid, corner S.W.
 40.00 Set a p. supst from whity,
 Sugar 10 in dist. beam. N 86 E. 7 links dist; S a
 W Oak 18 " " " " S 46 W 49 " "
 79.79 Intersect the West Boundary 196 links North of
 the post cor of sec. 13 & 24. T. N. R. 4 W and
 set a post for the cor. of sec. 18 & 19 from whity,
 W Oak 9 in dist. beam. S 85 W 25 links dist; S a
 W Oak 14 " " " " N 85 E 18 " "
 Same as before.

North Return Dec 17 & 18 T. N. R. 3 W. (Same line)
 39.95 Set the temp. 7/4 supst at the cor dist on the true line
 from whity, W Oak 4 in dist. beam. N 69 E. 14 links dist
 and a Logwood 4 " " " " S 34 W 12 " "
 79.91 To the post cor of sec. 7 & 17 & 18.

South On a Random line between Dec 17 & 18 T. N. R. 3 W.
 0.50 To a Brook 15 links mid, cor. N.E.
 40.00 Set a temp. 7/4 supst.
 58.00 To a Brook 100 links mid, corner W.
 79.91 Intersect the E & W line 35 links East of the post cor.
 of Dec. 17. 18. 19 & 20
 Same as the same as last mile.

West Return Dec 8 & 17. T. N. R. 3 W.
 40.00 Set a p. supst from whity,
 Bush 8 in dist. beam. N 83 E. 13 links dist; S a
 H. 11 " " " " S 11 E 21 " "
 45.00 To a Brook 15 links mid, cor. S.
 79.01 " " " " " " " " " " " "
 80.00 Set a post for the cor of sec. 7 & 17 & 18 from whity,

T. N. 8. N. R. No 3 W. 2nd Mer. Ind.

To Walnut, 6 in dist. beam. S 45 W. 6 links dist; S a
 Logwood 36 " " " " N 8 E. 20 " "
 Same as before & Hilby. Timber same.

West Return Dec 7 & 18 T. N. R. 3 W.
 40.00 Set a p. supst from whity,
 Bush 24 in dist. beam. N 73 W. 8 links dist; S a
 H. 20 " " " " N 82 E. 17 " "
 56.00 To a small Brook corner N.E.
 70.00 " " " " " " " " " " " "
 80.56 Intersect the West Boundary 167 links North of the
 post cor of sec. 12 & 13. T. N. R. 4 W and set a
 " " " " " " " " " " " "
 " " " " " " " " " " " "
 Bush 6 in dist. beam. S 78 E. 26 links dist; S a
 H. 12 " " " " S 72 W. 22 " "
 Same as the same.

South On a Random line between Dec 7 & 18 T. N. R. 3 W.
 40.00 Set a temp. 7/4 supst.
 68.00 To a Brook 3 links mid, corner N.E.
 80.67 Intersect the E & W line 57 links West of the post cor
 of sec. 7 & 17 & 18.
 Same as Hilby and broken Timber same.

North On the True line between Dec 7 & 18 T. N. R. 3 W.
 40.33 Set the temp. 7/4 supst at the cor dist on the true line
 from whity, Sugar 6 in dist. beam. N 81 E. 16 links dist
 and a Bush 9 " " " " N 87 W. 23 " "
 80.67 To the post cor of sec. 5 & 6 & 7 & 8.

West Return Dec 5 & 8 T. N. R. 3 W.
 40.00 Set a p. supst from whity,
 Logwood 6 in dist. beam. N 88 W. 4 links dist; S a

T. N. 8 N. R. N. 3 W. 2nd. Mer. Ind.

80.00 Sugar. 11 in dia. beam. S 88 E. 29 links dist;
Set a post for the cor of sec 5, 6, 7 & 8 from whitch;
Beet 10 in dia. beam. N 28 W. 8 links dist; & a
Loc. 15 " " " S 61 W. 47;
Lands Some Broken.

Met Return Sec 6 & 7 T. N. 8 N. 3 W.
7.00 To a Beet 15 links mid, Co. N. W.
40.00 Set a post east from whitch;
Beet 9 in dia. beam. S 29 W. 13 links dist; & a
Loc. 15 " " " N 2 E. 13;
55.00 To a Beet 15 links mid, Corner N. W.
80.07 Intersect the West Boundary 211 links South of
the post cor of sec 1 & 10 T. N. 8 N. 3 W. and set
a post for the cor of sec 6 & 7 from whitch;
Sugar. 6 in dia. beam. N 27 W. 11 links dist; & a
Beet 15 " " " East 11 " "
Lands Hilly Timber Same.

North Return Sec 5 & 6 T. N. 8 N. 3 W.
32.00 To a Beet 10 links mid, Corner N. W.
36.00 " " Loc 3 " " " W.
40.00 Set a post east from whitch;
Beet 6 in dia. beam. N 15 E. 8 links dist; & a
Loc 7 " " " S 21 W. 23;
70.11 Intersect the N. Boundary 9 links West of the
post cor of sec 31 & 30 T. N. 8 N. 3 W. and set a post
for the cor of sec 5 & 6 from whitch;
Beet 14 in dia. beam. N 3 E. 24 links dist; & a
Oak 36 " " " N 17 W. 22;
Lands Broken & Hilly

Surveyed by
William Harris Esq.

I certify that the foregoing Transcript of the
Field notes of Township N. 8 North of Range N. 3
West of the 2nd Principal Meridian, in Indiana
has been compared with the Original Notes in this
Office & found to be correct.
Surveyor General's Office,
Cincinnati, Nov. 27, 1841

Sur. General.